

لنبدأ رحلتنا



تعرف على القمة

نسعى باستمرار إلى تخطيط وتنفيذ الفعاليات وفقاً لأعلى المعايير الفنية والتقنية. تلبى احتياجات الشركات الكبيرة والمتوسطة على حد سواء، مستفيدين من مكانتنا المتميزة في السوق، وخبرتنا الواسعة في إدارة الفعاليات، وقدرتنا على ابتكار استراتيجيات فعالة لتحقيق أهداف تسويقية متنوعة.

نعدّ شركة القمة من الشركات الرائدة في إدارة وتنظيم الفعاليات بمختلف أنواعها، بما في ذلك المعارض والمؤتمرات وفعاليات الشركات والمهرجانات، فضلاً عن الانشطة الثقافية والفنية. كما نتخصص في بناء الهويات الترويجية وتصميمات فريدة تدعم مختلف الفعاليات التي ننظمها.



رؤيتنا

نسمى لأن نكون الشرك الاستراتيجي الرائد في تصميم وتنفيذ فعاليات مؤثرة. من خلال تقديم حلول مبتكرة وتجارب متكاملة، لساهم في تطوير قطاع الفعاليات، تاركين انطباعاً راسخاً لدى الجمهور وعمالقنا على حد سواء، يمتد اثره إلى ما بعد انتهاء الفعالية.





مهمتنا

لتلزم بتقديم خدمات احترافية في تنظيم الفعاليات والمعارض والمؤتمرات من خلال التخطيط الدقيق والتنفيذ عالي الجودة واستخدام أحدث التقنيات. هدفنا هو تحقيق أهداف عملائنا وعكس هويتهم بأفضل صورة ممكنة.



قيمنا

- الاحترافية: الالتزام بأعلى معايير الجودة في جميع مراحل العمل.
- الموثوقية: الوفاء بالوعود واحترام المواعيد والاتفاقيات.
- الإبداع: تقديم حلول مبتكرة وتجارب فريدة لكل عملائنا.
- العمل الجماعي: فريق متكامل يعمل بروح الفريق الواحد لتحقيق النتائج.
- الشفافية: نلتزم بالتواصل الواضح والمشاركة المتكاملة.





ما يميزنا

خبرة واسمعة في تنظيم الفعاليات والمهرجانات الكبرى. حلول متكاملة تشمل التصميم والإنتاج والتنفيذ والإدارة. فريق ميداني محترف قادر على إدارة أروع التفاصيل. مرونة عالية في التعامل مع متطلبات الجهات الحكومية والقطاع الخاص. القدرة على تحويل الرؤية إلى تجربة واقعية متكاملة ومؤثرة. التزامنا بمعايير الجودة والسلامة لضمان رضا عملائنا.



KSA

الخدمات التي تقدمها شركة القيمة





في القمة نقدم لكم

رؤية مبتكرة وعملية

نضمن توافق أهدافكم مع التخطيط الاستراتيجي،
مستفيدين من خبراتنا الداخلية وشبكتنا الواسعة من الشركاء
المحترفين.

نربط فعاليتكم بالكفاءات المناسبة، ونصمم كل فعالية
خصيصاً لتحقيق رؤيتكم الفريدة.



مشاريعنا

نفتخر بسجل حافل من المشاريع المتميزة التي شملت فعاليات وطنية ومهرجانات ثقافية ومؤتمرات كبيرة، ومعارض متخصصة، وحفلات موسيقية عامة، حيث عملنا كشريك تنفيذي رئيسي في تخطيط وإدارة وتجهيز العديد من الفعاليات التي اجتذبت آلاف الزوار وحققنا نجاحاً ملموساً على المستويين التنظيمي والإعلامي.



KSA

العروض والمهرجانات في المملكة العربية السعودية

٩٦:٩٦:٩٦

٥٥:٥٥:٥٥





حفل تدشين بوصلة الريادة مدينة محمد بن سلمان غير الربحية - (مسك)



Freaks of nature - MDLBEAST Main Stage & VIP Rooms



وزارة الدفاع - الملتقى الاستراتيجي للقيادات العامة للخدمات الصحية



الأمن العام - مهرجان الملك عبد العزيز للإبل



منتدى المحامين العرب - الرياض



حفلة
عائض
عيد الأضحى



حفل افتتاح
النسخة الثالثة
من ألعاب
السعودية



منصات وديكورات مصارعة فنون القتال المختلطة



مهرجان الملك
عبد العزيز الإبل

5000

مقعد و زينة





منصات ومسارح عرض السيارات



قاعة محمد عبده وروتانا

نطبق المعايير الأوروبية EN6-133200
لمنشآت المتفرجين.

الإنتاج

الصوت

الإضاءة

الديكور

الصوت والضوء هما حواس أساسية في الحياة لهذا السبب نعتبرهما من الركائز الرئيسية
لعمالياتنا نحن نحرص على تقديم أفضل النتائج في كل مرة



خدمات التصوير



خدمات التسويق
الإلكتروني



تصميم المسارح





عروض ومهرجانات مسرحية
في دول مجلس التعاون الخليجي

المدرج الكبير

The stair system is highly versatile and can be used for:

- Access to grounds/terraces
- Access to platforms and stages
- Access to double or triple-story structures
- Access to pedestrian bridges
- Temporary public access to any existing building

The stair system complies with the latest regulations for public areas, featuring a live load capacity of up to 7.5 kN/m² and barriers supporting loads up to 2 kN/m. Stair height: 160 mm.

The staircase solution is based on the ring-lock scaffolding system and can be adapted to other scaffolding types such as "Cuplock, Reckstege, etc."



نظام الأدراج

The seats are built instead of metal plates. The units with are directly fabricated through castings, the take and given holes lock screw for the greater use. The addition with named. The seats must gain interconnect useful, and order features in stock and site idea to be more storage. The seats are for as polypropylene are take are safety glass to in humidified result are like seats of light.


Foldable Seat



**Bucket Seat
VIP Seat**



المقاعد



موسم جدّه



الفورملا اي - المملكة العربية السعودية



الإضاءات والأحتفالات





الإضاءات والاحتفالات



الإضاءات والاحتفالات



الفنّانين

والمؤدّين الراقصين





الفنانيين والمؤديين الراقصين



تصاميم ثلاثية الأبعاد











مصنع الخشب





مستودع التخزين

معداتنا

المعدات المميزة شريك لكل التاجحين، يسعدنا ان نكون احد عناصر التاجح لكل شركة من خلال تقديم افضل الحلول التقنية والمعدات اللازمة ، فتحن نملك أحدث التقنيات في هذا المجال.



Touch Screen Digital Signage



Operating system: Window 10
Processor: Intel Core i5

EDSLUMEN Outdoor WingPlus Series



4 Corner Protector Design
The first corner protector design in the rental-led display field decreases the loss of lamps during transportation.
Special Lock Design Support both concave & convex screen, 45° design for stage rental events. Independent power box and die, wireless design, easy to disassemble & install.

NOVASTAR MCTRL660



A professional controller developed by NovaStar. A single MCTRL660 PPO has a loading capacity of up to 1920*1000@60Hz. It supports custom resolutions with the width up to 3840 pixels and height up to 2048 pixels, which meets configuration requirement of ultra-large screens.

MagicQ MQ80 Compact Console



The MagicQ MQ80 is an extremely powerful console in a small size, supporting all universes direct from the console and 4 DMX ports supporting RDM, but still fits with in checked luggage restrictions.



VISION VPL 16R XS4 MOVING HEAD SPOT



High-precision optical system moving head with IP 20 protection rating.

VISION VPL 7R Moving headBeam



The linear focus moving head with the eight-facet rotating prism, soft light effect and blue LED display + wheel control.

MagicQ Two Universe DMX Interface



A professional-level solution to the question of how to get DMX outputs from a PC to a lighting rig, the MagicQ Two Universe DMX Interface is a solution. But it is still very economical and provides flexible and small form-factor options to a range of system designs.

VISION VW 8004 Citi Color



Powerful 8°/35°/60° beam angle with 8,000 lux at three meters.

**VISION VBL 04**

BLINDER Four-piece 100W warm white LED with 20,000 lumens and four dimming curve options.

**VISION VPC
200 W/W-1555**

PROFILE 200W COB LED lamp enabling 1-20 flashes per second with up to 16,000 lumens and more than 50,000 hours lifetime.

VISION VLED S04

RGBW Led 10+ 4-in-1 8W RGBW LED with auto-running and built-in programs, M/S, DMX 512, and optional LED display IR remote.

**DJPOWER DJ-660
HAZE MACHINE**

DJ-660 is a cost-efficient and durable oil based haze machine. Using high-pressure atomization technology, no heating system, to produce haze without waiting for pre-heat up. Extremely low fluid consumption rate and long-time continuous output, suit all kinds of indoor and outdoor performances.



VISION VPR 360Z Moving wash



High-quality moving head with two speedy three-phase motors for pan/tilt directions.

VISION VPR XW-5 Moving wash



Flame-retardant moving head featuring 16.7 million additive RGB colors with full saturation control.

VISION VPC 200WW-2045 Profile Spot



200W white COB LED enabling 1-20 flashes per second with up to 10,000 lumens and more than 50,000 hours of LED life.

PRO2-CC-IP



Live Digital Console Control Centre with 64 Input Channels, 9 Mic/ Microphone Preampifiers, 27 Mix Buses, and 96 kHz Sample Rate.



Midas 32r



Digital Console for Live and Studio with Input Channels, 16 Midas PSC40 Microphone Preampifiers and 32 Mix Buses.

Turbosound IP3000



Turbosound IP3000

3000 Watt Powered Column Loudspeaker with a 3' x 12' Subwoofer, 16 Neodymium Drivers, Karaoke Spatial Sound Technology, Digital Mixer, Reverb, Remote Control via Smart Phone and Bluetooth Audio Streaming.

CDJ-2000NXS2 PROFILE



Professional DJ multi player with disc drive.

DJM-900NXS2



4-channel professional DJ mixer.



Turbosound TLX215L



Compact Dual 15" Subwoofer for Portable and Fixed Installation Applications.

Turbosound TLX84



Dual 3 Way 8" Line Array Element for Portable and Fixed Installation Applications.

Turbosound IQ15



3500 Watt 3 Way 15" Powered Loudspeaker with KlarkTechnik DSP Technology, Speaker Modelling and ULTRANET Networking.

Turbosound IQ188



3000 Watt 18" Powered Subwoofer with KlarkTechnik DSP Technology, Speaker Modelling and ULTRANET Networking.



Powersoft X4 DSP



4-channel Benchmark Amplifier with DSP and optional Dante.

YAMAHA M010XUF



Dual 2 Way 8" Line Array Element for Portable and Fixed Installation Applications.

Powersoft M50G



With 5,000 W across four channels in a single rack space unit, at a mere 7.4 kg / 16.3 lb weight.

Powersoft X4 DSP



3-Channel High Performance Power Amplifier.

**SHURE QLXD4UK-KS1**

The digital wireless receiver combines professional features with streamlined set-up and operation.

TW B18

Symmetrical subwoofer band pass design that delivers a consistent performance regardless whether vertical or horizontal, stacked vertically or side by side.

**SHURE UA844
SWB /LC UK**

The antenna distribution system offers a five-way, external switching power supply.

SHURE QLXD2/858 K51

Wireless Handheld Transmitter with Beta 858 Capsule Featuring transparent 24-bit digital audio quality and incredibly efficient RF spectrum usage, the QLXD2 handheld transmitter is ideal for wireless vocals in presentation spaces, music venues, and houses of worship. Easy to use, the QLXD2 quickly syncs with a wireless receiver over IR at the push of a button and maintains a clear, uninterrupted signal over its entire 100 m (330 ft.) range. All metal construction ensures durability, and a wide selection of compatible microphone choices offer legendary Shure sound signatures.



SHURE QLXD1 K51 QLXD1 Bodypack Transmitter



Featuring transparent 24-bit digital audio quality and incredibly efficient RF spectrum usage, the QLXD1 bodypack transmitter is ideal for wireless vocals and instruments in presentation spaces, music venues, and houses of worship. Easy to use, the QLXD1 quickly syncs with a wireless receiver over IR at the push of a button and maintains clear, uninterrupted signal over its entire 100-m (330 ft) range. All metal construction ensures durability, and a wide selection of compatible microphone choices offer legendary Shure sound signatures.

SHURE BETA 58A



The vocal microphone provides a brightened midrange and bass roll-off with frequency response to control proximity effect, a steel mesh grille for durability, a shock mount for low unwanted noise, and a neodymium magnet for high signal-to-noise ratio.

VISION VPL 16R X54 MOVING HEAD SPOT



The SM58 is known as the world's most popular performance microphone. It is an instantly recognizable icon for performance and can be seen in the hands of anyone from Pop Idols and Presidents, to Podcasters, Poets, and MCs. It is also a very effective microphone for live streaming and podcasting. Simply connect the SM58 to either an MV, an X2U, or your audio interface of choice, and you've got a very affordable and durable kit for your live stream.



Shure SM57-LCE Dynamic instrument microphone



Cardoid dynamic instrument microphone offers clean reproduction of amplified and acoustic instruments. Features include contoured frequency response for rich vocal pickup, background noise reduction, and a pneumatic shock mount system.

BOSCH DCN INTERPRETATION SYSTEM



The Bosch DCN Interpretation System offers exceptional functionality and freedom for conferences and seminars in both small and large venues.



MOVECAT ECO LITE



Chain hoist 16/34 m hoisting height direct control 400 V AC or remote control 24 V DC (DC brakes (7) overload protection by means of pat. friction clutch high-quality, specially hardened transmission precision-milled, specially hardened chain-bag wheel with min. 5 chain pockets highly robust round steel link chain acc. DIN 5686 baseplate chain guide single-hole eyelet alternatively motor hook rotating chain hook permanently installed, fold-away textile chain bag robust, light alloy cast housing closed on all sides (ECO 250 with plastic cover)

with two handles black, low-reflective finish RAL 9005 compact, light construction smooth, quiet operation convertible to dual chainfall operation (except ECOlite 320) use in climbing or standard positions possible without conversion 1 m HD7RM-F connector cable with CEE 16 A 4-pin plug (black) DC model 1 m HD7RM-F with CEE 16 A 4-pin (black - power) and CEE 16 A 4-pin (yellow - remote control) RC model.

8-channel motor controller

According to DUV V 54 / BGV D8 and D8 Plus / igwv SO PG Suited for 400V AC direct control hoists Minimal requirements:



- adjustable motor protection switch per drive
- emergency OFF button, self-latching
- GO button
- 8x rotary control for direct selection of the run direction
- READY and ERROR status indicators
- robust metal housing
- 8x CEE 16 A 4-pin motor connectors female (DC models rear panel)
- CEE 32 A 5-pin phase-changing plug with 10 m HD7RM-F connector cable
- According to EN 60204-32, EN 10449-3 and VDE 0113
- not suited for use with encoders, load cells or networks, not linkable



ALUSTAGE AL3480X TRUSS CONNECTORS



HEIGHT 390MM
WEIGHT 290MM
DEPTH 390 MM
SPACE 390MM.

ALUSTAGE AL34050 TRUSS



HEIGHT 3M
WIDTH 290MM
DEPTH 290 MM
SPACE 390MM.

ALUSTAGE AL34100 TRUSS



HEIGHT 1M
WIDTH 290MM
DEPTH 390 MM
SPACE 390MM.

ALUSTAGE BASE PLATE 60/60 PLATE



LENGTH 600MM
WIDTH 600MM.

ALUSTAGE AL34300 TRUSS

HEIGHT 3M
WIDTH 390MM
DEPTH 390 MM
SPACE 290MM





ALUSTAGE AL34300 TRUSS



HEIGHT 3M
WIDTH 390MM
DEPTH 390MM
SPACE 290MM

ALUSTAGE T26 SCREEN ADAPTER



Adapter 340/390

ALUSTAGE



Lift-System

ALUSTAGE034 TOP E



ACCESSORIES



ALUSTAGE034 TOP E



Towertop 190 KG/290

ALUSTAGE MobileTrussSquareBase-Plate



Size :
400*400,500*500,600*600
52*95 2mm(dependt on pillar)
Height : 60mm*90mm
Weight: 30-40KG



Electric scissor lifts

Product Model ZS12104D - LI
Height size: 12M
Specification:
Working height: 13.8 mt
Platform capacity: 300kg
Up/Down Drive motor: 2*404.5KW
Up/Down time: 62/62S
Drive: Front wheels
Brake: Rear wheels
Battery: 200 Ah - Li-Ion
Charger 24V/20A

عملنا

نعتز بثقة نخبة من الجهات الحكومية، والمؤسسات، والشركات الكبرى والعلامات التجارية، الذين اختاروا القمة شريكاً لهم في تنفيذ فعالياتهم وكان تعاونهم معنا انعكاساً لجودة خدماتنا واحترافيتنا



DIESEL

Zamil
GOLD

ECCO

alyasra
SUNDRY



شركاؤنا



المركز الوطني للتطوير
التقني والتقني



SAS



ALGHARB
الغرب





KSA

تواصل معنا

 Info@alqimah.sa

 +966 53 690 1000

 Riyadh, KSA